

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| L1    | 0    | "20030110239" and (software same (server apparatus))              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:26 |
| L2    | 0    | "20030110239" and (software same (server))                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:26 |
| L3    | 1    | "20030110239" and ((software program) same (server apparatus))    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:26 |
| L4    | 1    | "20050165909" and software  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:56 |
| L5    | 1    | "20050165909" and (software program carrier)                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:57 |
| L6    | 1    | "20050165909" and product   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>16:58 |
| L11   | 1    | "20050165909" and without   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>17:29 |
| L12   | 1    | "20080037467" and de \$energized                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2008/08/11<br>18:13 |
| S1    | 85   | "6381636" "6532500"<br>"6266721" "6332202"<br>"6163849" "6073255" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2007/10/10<br>16:15 |

|     |        |   |   |    |    |                     |
|-----|--------|---|---|----|----|---------------------|
| S2  | 1      | "20050165909"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/04<br>17:53 |
| S3  | 10     | ("6003081"   "6189108"  <br>"6263388"   "6266696"  <br>"6282642").PNL OR<br>("6381636").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                                | OR | ON | 2007/10/05<br>13:52 |
| S4  | 85     | "6381636" "6532500"<br>"6266721" "6332202"<br>"6163849" "6073255"                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>13:58 |
| S5  | 16     | S4 and ((access near2 point<br>hub)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:07 |
| S6  | 5313   | (Desktop near2 management<br>near2 interface) (DMI)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:08 |
| S7  | 3722   | (management near2<br>information near2 format)<br>(MIF)                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:36 |
| S8  | 546780 | gateway\$1 (access near2<br>point) hub\$1 router\$1   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:28 |
| S9  | 2      | (power near2 down) same<br>(NIC) same S8  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:14 |
| S10 | 57     | (power near2 down) same<br>(NIC)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:14 |
| S11 | 1      | S10 and (S6 and S7)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:14 |
| S12 | 92     | (S6 and S7)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:14 |

|     |          |  |   |    |    |                     |
|-----|----------|--|---|----|----|---------------------|
| S13 | 14457533 | @ad< "20031219"<br>@rlad< "20031219"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:16 |
| S14 | 39       | S12 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:17 |
| S15 | 14       | S14 and S8   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:18 |
| S16 | 1177939  | gateway\$1 (access near2<br>point) (AP) hub\$1 router\$1 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:23 |
| S17 | 4806846  | stor\$3 sav\$3 cach\$3 collect<br>\$3                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>15:34 |
| S18 | 1077     | asset with (mobile cellular<br>wireless near2 phone)     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:32 |
| S19 | 26       | S16 same S17 same S18                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:34 |
| S20 | 13       | S19 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:35 |
| S21 | 38       | S16 same S17 same (S18 or<br>S7)                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:34 |
| S22 | 16       | S21 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:46 |
| S23 | 2564     | S7 and S13   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:47 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S24 | 0    | S23 and (S8 with S17 with S7)                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:48 |
| S25 | 2    | (S8 with S17 with S7)                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:49 |
| S26 | 62   | (S8 with S17) and S7                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:52 |
| S27 | 43   | S26 and S13                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:50 |
| S28 | 11   | (S8 with S17 with request\$3) and S7           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>15:27 |
| S29 | 8    | S28 and S13                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>14:52 |
| S30 | 11   | (S8 with S17 with (request\$3 quer\$3)) and S7 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>15:27 |
| S31 | 3693 | (S16 near10 S17) with (request query inquiry)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>15:39 |
| S32 | 134  | S31 same transmit\$3 same (mobile cellular)    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>15:40 |
| S33 | 84   | S32 and S13                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:15 |
| S34 | 878  | gateway near10 stor\$3 near10 request\$3       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:15 |

|     |        |  |   |    |    |                     |
|-----|--------|--|---|----|----|---------------------|
| S35 | 136    | S34 same (mobile cellular)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:16 |
| S36 | 103    | S35 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:16 |
| S37 | 1186   | prox\$3 with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:30 |
| S38 | 786    | S37 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:26 |
| S39 | 179937 | prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:34 |
| S40 | 116510 | S39 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:34 |
| S41 | 179934 | prox\$3 (base near2 station) (point near5 presence) with S17 with (quer\$4 request\$3)                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:35 |
| S42 | 116490 | S40 and S41  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:33 |
| S43 | 117    | S42 and S7   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:33 |
| S44 | 10451  | (prox\$3 (base near2 station) (point near5 presence)) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:34 |
| S45 | 8057   | S44 and S13  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:34 |

|     |          |  |   |    |    |                     |
|-----|----------|--|---|----|----|---------------------|
| S46 | 5044     | (prox\$3 (base near2 station) (point near5 presence)) with S17 with (quer\$4 request\$3) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:36 |
| S47 | 1232     | S45 and S46  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:37 |
| S48 | 0        | S47 and S7   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/05<br>16:36 |
| S49 | 2800     | (access near2 point) near5 stor\$3   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>16:17 |
| S50 | 14459067 | @ad<"20031219"<br>@riad<"20031219"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>16:16 |
| S51 | 1862     | S50 and S49  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>16:16 |
| S52 | 62       | (access near2 point) near5 stor\$3 near5 MAC near2 address                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>17:46 |
| S53 | 28       | S52 and S50  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>16:17 |
| S54 | 0        | ("2004/0120279").URPN.   | USPAT   | OR | ON | 2007/10/10<br>17:00 |
| S55 | 1        | "6982982"  | USPAT   | OR | ON | 2007/10/10<br>17:00 |
| S56 | 128      | (access near2 point) near5 stor\$3 near5 request\$3                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:09 |
| S57 | 74       | S56 and S50  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>17:49 |

|     |        |  |   |    |    |                     |
|-----|--------|--|---|----|----|---------------------|
| S58 | 274188 | power near2 consumption  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:00 |
| S59 | 4      | S56 and S58 and S50  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>17:58 |
| S60 | 303030 | power near2 (consumption down)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:09 |
| S61 | 10     | S56 and S60  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:00 |
| S62 | 4      | S61 and S50  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:00 |
| S63 | 0      | ("2004/0151147").URPN.   | USPAT   | OR | ON | 2007/10/10<br>18:08 |
| S64 | 2800   | (access near2 point) near5 stor\$3   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:09 |
| S65 | 308701 | power\$2 near2 (consumption down)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/10<br>18:12 |
| S66 | 219    | S64 and S65 and S50  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/11<br>12:37 |
| S67 | 1      | "7158778".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/11<br>12:37 |
| S68 | 10     | ("20020019215"  <br>"20030103451"   "5504804"<br>  "5570366"   "5654959"  <br>"5991287"   "6091947"  <br>"6463307"   "6507735"  <br>"6687504").PN. OR<br>("7158778").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                                | OR | ON | 2007/10/11<br>12:37 |

|     |      |   |   |    |    |                     |
|-----|------|---|---|----|----|---------------------|
| S69 | 2    | ("2002/0019215").URPN.  | USPAT   | OR | ON | 2007/10/11<br>12:46 |
| S70 | 11   | WOL near2 process   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/11<br>16:30 |
| S71 | 1976 | 455/412   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/11<br>16:31 |
| S72 | 8704 | 709/227   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2007/10/11<br>16:31 |
| S73 | 1    | "20050165909"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/03/31<br>16:51 |
| S74 | 1    | "6381636".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/03/31<br>16:51 |
| S75 | 1    | "20050165909" and forward   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/03/31<br>19:30 |
| S76 | 1    | "20050165909" and valid   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/04/01<br>12:39 |
| S77 | 1    | "6381636".pn. and hub   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/04/01<br>12:46 |
| S78 | 10   | ("6003081"   "6189108"  <br>"6263388"   "6266696"  <br>"6282642").PN. OR<br>("6381636").URPN.                   | US-PGPUB;<br>USPAT;<br>USOCR                                | OR | ON | 2008/04/01<br>12:47 |
| S79 | 7    | "6684326".pn. "7003331".<br>pn. "7082129".pn.<br>"7146433".pn. "6925557".<br>pn. "6687348".pn.<br>"7185229".pn. | US-PGPUB;<br>USPAT;<br>USOCR                                | OR | ON | 2008/04/01<br>12:58 |
| S80 | 2    | S79 and "AP"  | US-PGPUB;<br>USPAT;<br>USOCR                                | OR | ON | 2008/04/01<br>13:02 |



|     |         |   |                              |    |    |                     |
|-----|---------|---|------------------------------|----|----|---------------------|
| S81 | 2       | "20040002366"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:05 |
| S82 | 2       | "20040002366" and "AP"  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:06 |
| S83 | 5       | "20050036467"<br>"20040077353"<br>"20040081076"<br>"20020101557"<br>"20030086515" | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:12 |
| S84 | 5       | "6532500".pn. "6266721".<br>pn. "6332202".pn.<br>"6163849".pn. "6073255".<br>pn.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:14 |
| S85 | 692768  | (access near2 point) "AP"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:18 |
| S86 | 115510  | S85 same (database stor\$3<br>table)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:18 |
| S88 | 22573   | S85 with (database stor\$3<br>table)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:19 |
| S89 | 2       | S88 same (asset near2<br>information)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:19 |
| S90 | 281066  | access\$3 with information  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:22 |
| S92 | 4836147 | @ad<"20031219"<br>@rlad<"20031219"  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:24 |
| S94 | 19777   | S90 and (power near2 (sav<br>\$3 down off))                                       | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:24 |
| S95 | 419     | S92 and S94 and S88 and<br>S90  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>13:25 |
| S96 | 51247   | (Access near2 point)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:09 |
| S97 | 459     | S96 with cach\$3  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:09 |
| S98 | 328     | S97 and S92   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:09 |
| S99 | 25      | S96 with (cach\$3 with table)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:10 |

|      |      |  |                              |    |    |                     |
|------|------|--|------------------------------|----|----|---------------------|
| S100 | 42   | S96 same (cach\$3 same (requested near2 (data content information)))   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:12 |
| S101 | 34   | S100 and S92   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:13 |
| S102 | 19   | S101 and (request near2 server)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>14:18 |
| S103 | 1060 | ((Access near2 point) same (request\$2 near2 information)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:12 |
| S104 | 677  | S103 and S92   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:12 |
| S105 | 142  | S104 and (power near2 (sav \$3 down off))  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:12 |
| S106 | 1    | "20050165909" and media  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:13 |
| S107 | 127  | ((Access near2 point) same (request\$2 near2 information) same table   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:21 |
| S108 | 1    | ((Access near2 point) same (request\$2 near2 information) same (address near2 table)                               | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:23 |
| S109 | 214  | ((Access near2 point) same (address near2 table)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:24 |
| S110 | 130  | ((Access near2 point) with (address near2 table)   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:24 |
| S111 | 82   | S110 and S92   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:24 |
| S112 | 4    | S110 and S92 and (stor\$3 near5 mobile near5 information)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:29 |
| S113 | 178  | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information)  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:33 |
| S114 | 89   | S113 and S92   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:33 |
| S115 | 51   | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information) and (((access near2 point) AP) with table) | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2008/04/01<br>15:35 |

|      |          |  |   |    |    |                     |
|------|----------|--|---|----|----|---------------------|
| S116 | 25       | S115 and S92   | US-PGPUB;<br>USPAT;<br>USCOR                                | OR | ON | 2008/04/01<br>15:37 |
| S117 | 192      | ((access near2 point) AP<br>same (valid\$5) same (stor\$3<br>near5 data) | US-PGPUB;<br>USPAT;<br>USCOR                                | OR | ON | 2008/04/01<br>15:55 |
| S118 | 99       | S117 and S92   | US-PGPUB;<br>USPAT;<br>USCOR                                | OR | ON | 2008/04/01<br>15:55 |
| S119 | 6127     | 709/228,227.ccls.  | US-PGPUB;<br>USPAT;<br>USCOR                                | OR | ON | 2008/04/01<br>16:35 |
| S120 | 428      | periodic\$4 same (wake)<br>same (power near2 (up<br>down on off))        | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:45 |
| S121 | 99       | S120 and (access near2<br>point)   | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:45 |
| S122 | 14561968 | @ad<"20031219"<br>@rlad<"20031219"                                       | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:45 |
| S123 | 71       | S121 and S122  | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:45 |
| S124 | 9677     | (stor\$3 request) with (access<br>near2 point)                           | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:48 |
| S125 | 88       | (stor\$3 near2 request) with<br>(access near2 point)                     | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:48 |
| S126 | 0        | S125 and S123  | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:49 |
| S127 | 6284     | (stor\$3) with (access near2<br>point)                                   | US-PGPUB;<br>USPAT;<br>USCOR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:49 |

|      |      |  |   |    |    |                     |
|------|------|--|---|----|----|---------------------|
| S128 | 5    | S127 and S123  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:49 |
| S129 | 1685 | periodic\$4 same (wake)<br>same (power)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>13:59 |
| S130 | 3092 | ((stor\$3 buffer\$3) near2<br>(request\$1 message\$1<br>information data packets<br>instruction)) with (access<br>near2 point) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>14:01 |
| S131 | 83   | S129 and S130 aND S122   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>14:02 |
| S132 | 83   | S129 and S130 and S122   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>14:02 |
| S133 | 4    | 10/264807 and periodic\$4  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2008/08/11<br>14:02 |

8/ 11/ 2008 6:27:38 PM

C:\Documents and Settings\ktang4\My Documents\EAST Workspaces\10742151.wsp